




3192090

4 3 2 1 THIRD ANGLE PROJECTION



- 注:
- △ -A- 面より2mmの距離で測定。
 - △ 相手ハコソケットと所定の規格を満足して嵌合できること。
 - 3 内装するオペアコンタクト型番 173633, 173645。
 - 4 嵌合相手ハコソケット型番 174923。
- NOTE:
- △ MUST BE KEPT BETWEEN -A- AND 2.
 - △ TO BE MATED WITH THE PLUG HSG SMOOTHLY.
 - 3 APPLIED TAB CONTACT P/N: 173633, 173645.
 - 4 APPLIED PLUG HSG P/N: 174923.

319-2090

PRINT DIST

1/12 : 11 DIMENSIONS IN MM. DO NOT SCALE PRINT

AMP-J-030-2
REV. 9.83

①	変更	REVISIONED J-0091	WU	AT	5/20
②	変更	REVISIONED J-12993	YS	CA	1/21
③	変更	REVISIONED J-12757	AM	CA	1/21
④	変更	REVISIONED J-12508	YS	CA	1/21
⑤	変更	REVISIONED J-10459	YS	CA	1/21
⑥	変更	REVISIONED J-10459	YS	CA	1/21

RECOMMENDED MATED PARTS	***RECOMMENDED MATED PARTS***
① 推奨品 (RECOMMENDED)	① 推奨品 (RECOMMENDED)
② 推奨品 (RECOMMENDED)	② 推奨品 (RECOMMENDED)
③ 推奨品 (RECOMMENDED)	③ 推奨品 (RECOMMENDED)
④ 推奨品 (RECOMMENDED)	④ 推奨品 (RECOMMENDED)
⑤ 推奨品 (RECOMMENDED)	⑤ 推奨品 (RECOMMENDED)
⑥ 推奨品 (RECOMMENDED)	⑥ 推奨品 (RECOMMENDED)

①	変更	REVISIONED J-0091	WU	AT	5/20
②	変更	REVISIONED J-12993	YS	CA	1/21
③	変更	REVISIONED J-12757	AM	CA	1/21
④	変更	REVISIONED J-12508	YS	CA	1/21
⑤	変更	REVISIONED J-10459	YS	CA	1/21
⑥	変更	REVISIONED J-10459	YS	CA	1/21

①	変更	REVISIONED J-0091	WU	AT	5/20
②	変更	REVISIONED J-12993	YS	CA	1/21
③	変更	REVISIONED J-12757	AM	CA	1/21
④	変更	REVISIONED J-12508	YS	CA	1/21
⑤	変更	REVISIONED J-10459	YS	CA	1/21
⑥	変更	REVISIONED J-10459	YS	CA	1/21

AMP (Japan) LTD. ALL RIGHTS RESERVED.

AMP

AMP (Japan) LTD. TOKYO, JAPAN

CUSTOMER DRAWING


319 279

23
07
14
01
8

PRINT DIST

DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT

METRIC



3rd ANGLE PROJECTION

NUMBER

C-175783